

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A propylene-based polymer ~~having~~ comprising a propylene represented by the following characteristics (1) to (3):

(1) The weight-average molecular weight  $M_w$  is from not smaller than 5,000 to less than 1,000,000 as measured by GPC;

(2) In  $^{13}\text{C}$ -NMR, peaks derived from the carbon atom in a methyl group in a propylene unit chain formed by head-to-tail bond are observed and, ~~supposing that~~ wherein ~~when~~ the chemical shift of the top of a peak assigned to a pentad represented by mmmm is 21.8 ppm, the ratio of the area  $S_5$  of the peak having its top at 21.8 ppm to the total area  $S$  of peaks appearing within a range of from 19.8 ppm to 22.2 ppm is from not smaller than 10% to not greater than 60%, and, ~~supposing that~~ wherein when the area of a peak having its top at 21.5 to 21.6 ppm is  $S_6$ , the relationship  $4 + 2S_5/S_6 > 5$  can be established; and

(3) Regio irregular units based on 2,1-inserted propylene monomer and/or 1,3-inserted propylene monomer are present in its main chain and the sum of the ratio of regio irregular units based on 2,1-insertion and 1,3-insertion to all propylene insertions is not smaller than 0.05%.

Claim 2 (Currently Amended): The propylene-based polymer as claimed in Claim 1, ~~which~~ wherein the propylene-based polymer is a propylene polymer or propylene-olefin copolymer.

Claim 3 (Original): The propylene-based polymer as claimed in Claim 2, wherein the propylene-olefin copolymer is a copolymer of propylene and ethylene.

Claim 4 (Currently Amended): The propylene-based polymer as claimed in Claim 1, having the following characteristic (4):

(4) In  $^{13}\text{C}$ -NMR, peaks derived from the carbon atom in a methyl group in a propylene unit chain formed by head-to-tail bond are observed and, ~~supposing that~~ wherein when the chemical shift of the top of a peak assigned to a pentad represented by mmmm is 21.8 ppm and the integrated intensity of peaks appearing at from 24.5 ppm to 25.0 ppm, from 33.5 ppm to 34.2 ppm, from 14.2 ppm to 23.5 ppm and from 27.5 ppm to 28.0 ppm are  $S_1$ ,  $S_2$ ,  $S_3$  and  $S_4$ , respectively, the following relationship can be established:

$$0 < (S_1 + S_2)/(S_1 + S_2 + S_3 + 0.5S_4) < 0.05.$$

Claim 5 (Currently Amended): The propylene-based polymer as claimed in Claim 3, wherein ~~supposing that~~ wherein when the propylene unit is represented by P, the 2,1-inserted propylene unit is represented by  $^1\text{P}$  and the ethylene unit is represented by E, no partial structures represented by PEE,  $^1\text{PEE}$ , EEE, EPE and  $\text{E}^1\text{PE}$  are present or the total ratio of the partial structures is not greater than 3% of that of all triads formed by P,  $^1\text{P}$  and E.

Claim 6 (Currently Amended): The propylene-based polymer as claimed in Claim 1, wherein the weight-average molecular weight  $M_w$  is from not smaller than 5,000 to less than 200,000 as measured by GPC and the polymer is  $[[a]]$  propylene ~~monomer~~.

Claim 7 (Previously Presented): The propylene-based polymer as claimed in Claim 1, wherein both the regio irregular units based 2,1-inserted propylene monomer and 1,3-inserted propylene monomer are present in the main chain.

Claim 8 (Previously Presented): The propylene-based polymer as claimed in Claim 1, wherein both the regio irregular units based 2,1-inserted propylene monomer and 1,3-inserted propylene monomer are present in the main chain and the ratio of said regio irregular units based on 1,3-insertion to all propylene insertions is greater than the ratio of said regio irregular units based on 2,1-insertion to all propylene insertions.

Claim 9 (Previously Presented): The propylene-based polymer as claimed in Claim 1, which is produced in the presence of a single site catalyst.

Claim 10 (Original): The propylene-based polymer as claimed in Claim 9, wherein the single site catalyst is a C<sub>1</sub>-symmetrical ansa-metallocene compound containing a transition metal and having a bridging group.

Claim 11 (Original): The propylene-based polymer as claimed in Claim 10, wherein the transition metal is titanium, zirconium or hafnium.

Claim 12 (Currently Amended): The propylene-based polymer as claimed in Claim 1, ~~having~~ comprising an insoluble content of not greater than 1% by weight as dissolved in heptane at 98°C in a concentration of 10% by weight.

Claim 13 (Currently Amended): The propylene-based polymer as claimed in Claim 1, ~~having~~ comprising an insoluble content of not greater than 1% by weight as dissolved in toluene at 25°C in a concentration of 10% by weight.

DISCUSSION OF THE AMENDMENTS

Claims 1, 2, 4-6, 12 and 13 are currently amended.

Claims 3, 10 and 11 are original.

Claims 7-9 were previously presented.

The abstract has been amended to conform with 37 C.F.R. §1.72.

The claims were amended to clarify claim language.

No new matter has been added by the amendments.